

Daily Statistics for PSU Interface - SEB in Norway

Day	Uptime (%)	Downtime (%)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
06.07.2020	99,5	0,5	1300	4200	N/A	0,13
05.07.2020	99,5	0,5	1300	4200	N/A	0,13
04.07.2020	99,5	0,5	1300	4200	N/A	0,13
03.07.2020	99,5	0,5	1300	4200	N/A	0,13
02.07.2020	99,5	0,5	1300	4200	N/A	0,13
01.07.2020	99,5	0,5	1300	4200	N/A	0,13
30.06.2020	99,5	0,5	1300	4200	N/A	0,13
29.06.2020	99,5	0,5	1300	4200	N/A	0,13
28.06.2020	99,5	0,5	1300	4200	N/A	0,13
27.06.2020	99,5	0,5	1300	4200	N/A	0,13
26.06.2020	99,5	0,5	1300	4200	N/A	0,13
25.06.2020	99,5	0,5	1300	4200	N/A	0,13
24.06.2020	99,5	0,5	1300	4200	N/A	0,13
23.06.2020	99,5	0,5	1300	4200	N/A	0,13
22.06.2020	99,5	0,5	1300	4200	N/A	0,13
21.06.2020	99,5	0,5	1300	4200	N/A	0,13
20.06.2020	99,5	0,5	1300	4200	N/A	0,13
19.06.2020	99,5	0,5	1300	4200	N/A	0,13
18.06.2020	99,5	0,5	1300	4200	N/A	0,13
17.06.2020	99,5	0,5	1300	4200	N/A	0,13
16.06.2020	99,5	0,5	1300	4200	N/A	0,13
15.06.2020	99,5	0,5	1300	4200	N/A	0,13
14.06.2020	99,5	0,5	1300	4200	N/A	0,13
13.06.2020	99,5	0,5	1300	4200	N/A	0,13
12.06.2020	99,5	0,5	1300	4200	N/A	0,13
11.06.2020	99,5	0,5	1300	4200	N/A	0,13
10.06.2020	99,5	0,5	1300	4200	N/A	0,13
09.06.2020	99,5	0,5	1300	4200	N/A	0,13
08.06.2020	99,5	0,5	1300	4200	N/A	0,13
07.06.2020	99,5	0,5	1300	4200	N/A	0,13
06.06.2020	99,5	0,5	1300	4200	N/A	0,13
05.06.2020	99,5	0,5	1300	4200	N/A	0,13
04.06.2020	99,5	0,5	1300	4200	N/A	0,13
03.06.2020	99,5	0,5	1300	4200	N/A	0,13
02.06.2020	99,5	0,5	1300	4200	N/A	0,13
01.06.2020	99,5	0,5	1300	4200	N/A	0,13
31.05.2020	99,5	0,5	1300	4200	N/A	0,13
30.05.2020	99,5	0,5	1300	4200	N/A	0,13

Daily Statistics for PSU Interface - SEB in Norway

Day	Uptime (%)	Downtime (%)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
29.05.2020	99,5	0,5	1300	4200	N/A	0,13
28.05.2020	99,5	0,5	1300	4200	N/A	0,13
27.05.2020	99,5	0,5	1300	4200	N/A	0,13
26.05.2020	99,5	0,5	1300	4200	N/A	0,13
25.05.2020	99,5	0,5	1300	4200	N/A	0,13
24.05.2020	99,5	0,5	1300	4200	N/A	0,13
23.05.2020	99,5	0,5	1300	4200	N/A	0,13
22.05.2020	99,5	0,5	1300	4200	N/A	0,13
21.05.2020	99,5	0,5	1300	4200	N/A	0,13
20.05.2020	99,5	0,5	1300	4200	N/A	0,13
19.05.2020	99,5	0,5	1300	4200	N/A	0,13
18.05.2020	99,5	0,5	1300	4200	N/A	0,13
17.05.2020	99,5	0,5	1300	4200	N/A	0,13
16.05.2020	99,5	0,5	1300	4200	N/A	0,13
15.05.2020	99,5	0,5	1300	4200	N/A	0,13
14.05.2020	99,5	0,5	1300	4200	N/A	0,13
13.05.2020	99,5	0,5	1300	4200	N/A	0,13
12.05.2020	99,5	0,5	1300	4200	N/A	0,13
11.05.2020	99,5	0,5	1300	4200	N/A	0,13
10.05.2020	99,5	0,5	1300	4200	N/A	0,13
09.05.2020	99,5	0,5	1300	4200	N/A	0,13
08.05.2020	99,5	0,5	1300	4200	N/A	0,13
07.05.2020	99,5	0,5	1300	4200	N/A	0,13
06.05.2020	99,5	0,5	1300	4200	N/A	0,13
05.05.2020	99,5	0,5	1300	4200	N/A	0,13
04.05.2020	99,5	0,5	1300	4200	N/A	0,13
03.05.2020	99,5	0,5	1300	4200	N/A	0,13
02.05.2020	99,5	0,5	1300	4200	N/A	0,13
01.05.2020	99,5	0,5	1300	4200	N/A	0,13
30.04.2020	99,5	0,5	1300	4200	N/A	0,13
29.04.2020	99,5	0,5	1300	4200	N/A	0,13
28.04.2020	99,5	0,5	1300	4200	N/A	0,13
27.04.2020	99,5	0,5	1300	4200	N/A	0,13
26.04.2020	99,5	0,5	1300	4200	N/A	0,13
25.04.2020	99,5	0,5	1300	4200	N/A	0,13
24.04.2020	99,5	0,5	1300	4200	N/A	0,13
23.04.2020	99,5	0,5	1300	4200	N/A	0,13
22.04.2020	99,5	0,5	1300	4200	N/A	0,13

Daily Statistics for PSU Interface - SEB in Norway

Day	Uptime (%)	Downtime (%)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
21.04.2020	99,5	0,5	1300	4200	N/A	0,13
20.04.2020	99,5	0,5	1300	4200	N/A	0,13
19.04.2020	99,5	0,5	1300	4200	N/A	0,13
18.04.2020	99,5	0,5	1300	4200	N/A	0,13
17.04.2020	99,5	0,5	1300	4200	N/A	0,13
16.04.2020	99,5	0,5	1300	4200	N/A	0,13
15.04.2020	99,5	0,5	1300	4200	N/A	0,13
14.04.2020	99,5	0,5	1300	4200	N/A	0,13
13.04.2020	99,5	0,5	1300	4200	N/A	0,13
12.04.2020	99,5	0,5	1300	4200	N/A	0,13
11.04.2020	99,5	0,5	1300	4200	N/A	0,13
10.04.2020	99,5	0,5	1300	4200	N/A	0,13
09.04.2020	99,5	0,5	1300	4200	N/A	0,13
08.04.2020	99,5	0,5	1300	4200	N/A	0,13
07.04.2020	99,5	0,5	1300	4200	N/A	0,13

Daily Statistics for Dedicated Interface - SEB in Norway

Day	Uptime (%)	Downtime (%)	AISP response (milliseconds)	PISP response (milliseconds)	CBPIL response (milliseconds)	Error response rate (%)
06.07.2020	100	0	N/A	N/A	N/A	N/A
05.07.2020	100	0	N/A	N/A	N/A	N/A
04.07.2020	100	0	N/A	N/A	N/A	N/A
03.07.2020	100	0	N/A	N/A	N/A	N/A
02.07.2020	100	0	N/A	N/A	N/A	N/A
01.07.2020	100	0	N/A	N/A	N/A	N/A
30.06.2020	100	0	N/A	N/A	N/A	N/A
29.06.2020	100	0	N/A	N/A	N/A	N/A
28.06.2020	100	0	N/A	N/A	N/A	N/A
27.06.2020	100	0	N/A	N/A	N/A	N/A
26.06.2020	100	0	N/A	N/A	N/A	N/A
25.06.2020	100	0	N/A	N/A	N/A	N/A
24.06.2020	100	0	N/A	N/A	N/A	N/A
23.06.2020	100	0	N/A	N/A	N/A	N/A
22.06.2020	100	0	N/A	N/A	N/A	N/A
21.06.2020	100	0	N/A	N/A	N/A	N/A
20.06.2020	100	0	N/A	N/A	N/A	N/A
19.06.2020	100	0	N/A	N/A	N/A	N/A
18.06.2020	100	0	N/A	N/A	N/A	N/A
17.06.2020	100	0	N/A	N/A	N/A	N/A
16.06.2020	100	0	N/A	N/A	N/A	N/A
15.06.2020	100	0	N/A	N/A	N/A	N/A
14.06.2020	100	0	N/A	N/A	N/A	N/A
13.06.2020	100	0	N/A	N/A	N/A	N/A
12.06.2020	100	0	N/A	N/A	N/A	N/A
11.06.2020	100	0	N/A	N/A	N/A	N/A
10.06.2020	100	0	N/A	N/A	N/A	N/A
09.06.2020	100	0	N/A	N/A	N/A	N/A
08.06.2020	100	0	N/A	N/A	N/A	N/A
07.06.2020	100	0	N/A	N/A	N/A	N/A
06.06.2020	100	0	N/A	N/A	N/A	N/A
05.06.2020	100	0	N/A	N/A	N/A	N/A
04.06.2020	100	0	N/A	N/A	N/A	N/A
03.06.2020	100	0	N/A	N/A	N/A	N/A
02.06.2020	100	0	N/A	N/A	N/A	N/A
01.06.2020	100	0	N/A	N/A	N/A	N/A
31.05.2020	100	0	N/A	N/A	N/A	N/A
30.05.2020	100	0	N/A	N/A	N/A	N/A

Daily Statistics for Dedicated Interface - SEB in Norway

Day	Uptime (%)	Downtime (%)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
29.05.2020	100	0	N/A	N/A	N/A	N/A
28.05.2020	100	0	N/A	N/A	N/A	N/A
27.05.2020	100	0	N/A	N/A	N/A	N/A
26.05.2020	100	0	N/A	N/A	N/A	N/A
25.05.2020	100	0	N/A	N/A	N/A	N/A
24.05.2020	100	0	N/A	N/A	N/A	N/A
23.05.2020	100	0	N/A	N/A	N/A	N/A
22.05.2020	100	0	N/A	N/A	N/A	N/A
21.05.2020	100	0	N/A	N/A	N/A	N/A
20.05.2020	100	0	N/A	N/A	N/A	N/A
19.05.2020	100	0	N/A	N/A	N/A	N/A
18.05.2020	100	0	N/A	N/A	N/A	N/A
17.05.2020	100	0	N/A	N/A	N/A	N/A
16.05.2020	100	0	N/A	N/A	N/A	N/A
15.05.2020	100	0	N/A	N/A	N/A	N/A
14.05.2020	100	0	N/A	N/A	N/A	N/A
13.05.2020	100	0	N/A	N/A	N/A	N/A
12.05.2020	100	0	N/A	N/A	N/A	N/A
11.05.2020	100	0	N/A	N/A	N/A	N/A
10.05.2020	100	0	N/A	N/A	N/A	N/A
09.05.2020	100	0	N/A	N/A	N/A	N/A
08.05.2020	100	0	N/A	N/A	N/A	N/A
07.05.2020	100	0	N/A	N/A	N/A	N/A
06.05.2020	100	0	N/A	N/A	N/A	N/A
05.05.2020	100	0	N/A	N/A	N/A	N/A
04.05.2020	100	0	N/A	N/A	N/A	N/A
03.05.2020	100	0	N/A	N/A	N/A	N/A
02.05.2020	100	0	N/A	N/A	N/A	N/A
01.05.2020	100	0	N/A	N/A	N/A	N/A
30.04.2020	100	0	N/A	N/A	N/A	N/A
29.04.2020	100	0	N/A	N/A	N/A	N/A
28.04.2020	100	0	N/A	N/A	N/A	N/A
27.04.2020	100	0	N/A	N/A	N/A	N/A
26.04.2020	100	0	N/A	N/A	N/A	N/A
25.04.2020	100	0	N/A	N/A	N/A	N/A
24.04.2020	100	0	N/A	N/A	N/A	N/A
23.04.2020	100	0	N/A	N/A	N/A	N/A
22.04.2020	100	0	N/A	N/A	N/A	N/A

Daily Statistics for Dedicated Interface - SEB in Norway

Day	Uptime (%)	Downtime (%)	AISP response (milliseconds)	PISP response (milliseconds)	CBPIL response (milliseconds)	Error response rate (%)
21.04.2020	100	0	N/A	N/A	N/A	N/A
20.04.2020	100	0	N/A	N/A	N/A	N/A
19.04.2020	100	0	N/A	N/A	N/A	N/A
18.04.2020	100	0	N/A	N/A	N/A	N/A
17.04.2020	100	0	N/A	N/A	N/A	N/A
16.04.2020	100	0	N/A	N/A	N/A	N/A
15.04.2020	100	0	N/A	N/A	N/A	N/A
14.04.2020	100	0	N/A	N/A	N/A	N/A
13.04.2020	100	0	N/A	N/A	N/A	N/A
12.04.2020	100	0	N/A	N/A	N/A	N/A
11.04.2020	100	0	N/A	N/A	N/A	N/A
10.04.2020	100	0	N/A	N/A	N/A	N/A
09.04.2020	100	0	N/A	N/A	N/A	N/A
08.04.2020	100	0	N/A	N/A	N/A	N/A
07.04.2020	100	0	N/A	N/A	N/A	N/A