

Daily Statistics for PSU Interface - SEB in Norway

Day	Uptime (%)	Downtime (%)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
06.10.2020	99,5	0,5	1300	4200	N/A	0,13
05.10.2020	99,5	0,5	1300	4200	N/A	0,13
04.10.2020	99,5	0,5	1300	4200	N/A	0,13
03.10.2020	99,5	0,5	1300	4200	N/A	0,13
02.10.2020	99,5	0,5	1300	4200	N/A	0,13
01.10.2020	99,5	0,5	1300	4200	N/A	0,13
30.09.2020	99,5	0,5	1300	4200	N/A	0,13
29.09.2020	99,5	0,5	1300	4200	N/A	0,13
28.09.2020	99,5	0,5	1300	4200	N/A	0,13
27.09.2020	99,5	0,5	1300	4200	N/A	0,13
26.09.2020	99,5	0,5	1300	4200	N/A	0,13
25.09.2020	99,5	0,5	1300	4200	N/A	0,13
24.09.2020	99,5	0,5	1300	4200	N/A	0,13
23.09.2020	99,5	0,5	1300	4200	N/A	0,13
22.09.2020	99,5	0,5	1300	4200	N/A	0,13
21.09.2020	99,5	0,5	1300	4200	N/A	0,13
20.09.2020	99,5	0,5	1300	4200	N/A	0,13
19.09.2020	99,5	0,5	1300	4200	N/A	0,13
18.09.2020	99,5	0,5	1300	4200	N/A	0,13
17.09.2020	99,5	0,5	1300	4200	N/A	0,13
16.09.2020	99,5	0,5	1300	4200	N/A	0,13
15.09.2020	99,5	0,5	1300	4200	N/A	0,13
14.09.2020	99,5	0,5	1300	4200	N/A	0,13
13.09.2020	99,5	0,5	1300	4200	N/A	0,13
12.09.2020	99,5	0,5	1300	4200	N/A	0,13
11.09.2020	99,5	0,5	1300	4200	N/A	0,13
10.09.2020	99,5	0,5	1300	4200	N/A	0,13
09.09.2020	99,5	0,5	1300	4200	N/A	0,13
08.09.2020	99,5	0,5	1300	4200	N/A	0,13
07.09.2020	99,5	0,5	1300	4200	N/A	0,13
06.09.2020	99,5	0,5	1300	4200	N/A	0,13
05.09.2020	99,5	0,5	1300	4200	N/A	0,13
04.09.2020	99,5	0,5	1300	4200	N/A	0,13
03.09.2020	99,5	0,5	1300	4200	N/A	0,13
02.09.2020	99,5	0,5	1300	4200	N/A	0,13
01.09.2020	99,5	0,5	1300	4200	N/A	0,13
31.08.2020	99,5	0,5	1300	4200	N/A	0,13
30.08.2020	99,5	0,5	1300	4200	N/A	0,13

Daily Statistics for PSU Interface - SEB in Norway

Day	Uptime (%)	Downtime (%)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
29.08.2020	99,5	0,5	1300	4200	N/A	0,13
28.08.2020	99,5	0,5	1300	4200	N/A	0,13
27.08.2020	99,5	0,5	1300	4200	N/A	0,13
26.08.2020	99,5	0,5	1300	4200	N/A	0,13
25.08.2020	99,5	0,5	1300	4200	N/A	0,13
24.08.2020	99,5	0,5	1300	4200	N/A	0,13
23.08.2020	99,5	0,5	1300	4200	N/A	0,13
22.08.2020	99,5	0,5	1300	4200	N/A	0,13
21.08.2020	99,5	0,5	1300	4200	N/A	0,13
20.08.2020	99,5	0,5	1300	4200	N/A	0,13
19.08.2020	99,5	0,5	1300	4200	N/A	0,13
18.08.2020	99,5	0,5	1300	4200	N/A	0,13
17.08.2020	99,5	0,5	1300	4200	N/A	0,13
16.08.2020	99,5	0,5	1300	4200	N/A	0,13
15.08.2020	99,5	0,5	1300	4200	N/A	0,13
14.08.2020	99,5	0,5	1300	4200	N/A	0,13
13.08.2020	99,5	0,5	1300	4200	N/A	0,13
12.08.2020	99,5	0,5	1300	4200	N/A	0,13
11.08.2020	99,5	0,5	1300	4200	N/A	0,13
10.08.2020	99,5	0,5	1300	4200	N/A	0,13
09.08.2020	99,5	0,5	1300	4200	N/A	0,13
08.08.2020	99,5	0,5	1300	4200	N/A	0,13
07.08.2020	99,5	0,5	1300	4200	N/A	0,13
06.08.2020	99,5	0,5	1300	4200	N/A	0,13
05.08.2020	99,5	0,5	1300	4200	N/A	0,13
04.08.2020	99,5	0,5	1300	4200	N/A	0,13
03.08.2020	99,5	0,5	1300	4200	N/A	0,13
02.08.2020	99,5	0,5	1300	4200	N/A	0,13
01.08.2020	99,5	0,5	1300	4200	N/A	0,13
31.07.2020	99,5	0,5	1300	4200	N/A	0,13
30.07.2020	99,5	0,5	1300	4200	N/A	0,13
29.07.2020	99,5	0,5	1300	4200	N/A	0,13
28.07.2020	99,5	0,5	1300	4200	N/A	0,13
27.07.2020	99,5	0,5	1300	4200	N/A	0,13
26.07.2020	99,5	0,5	1300	4200	N/A	0,13
25.07.2020	99,5	0,5	1300	4200	N/A	0,13
24.07.2020	99,5	0,5	1300	4200	N/A	0,13
23.07.2020	99,5	0,5	1300	4200	N/A	0,13

Daily Statistics for PSU Interface - SEB in Norway

Day	Uptime (%)	Downtime (%)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
22.07.2020	99,5	0,5	1300	4200	N/A	0,13
21.07.2020	99,5	0,5	1300	4200	N/A	0,13
20.07.2020	99,5	0,5	1300	4200	N/A	0,13
19.07.2020	99,5	0,5	1300	4200	N/A	0,13
18.07.2020	99,5	0,5	1300	4200	N/A	0,13
17.07.2020	99,5	0,5	1300	4200	N/A	0,13
16.07.2020	99,5	0,5	1300	4200	N/A	0,13
15.07.2020	99,5	0,5	1300	4200	N/A	0,13
14.07.2020	99,5	0,5	1300	4200	N/A	0,13
13.07.2020	99,5	0,5	1300	4200	N/A	0,13
12.07.2020	99,5	0,5	1300	4200	N/A	0,13
11.07.2020	99,5	0,5	1300	4200	N/A	0,13
10.07.2020	99,5	0,5	1300	4200	N/A	0,13
09.07.2020	99,5	0,5	1300	4200	N/A	0,13
08.07.2020	99,5	0,5	1300	4200	N/A	0,13
07.07.2020	99,5	0,5	1300	4200	N/A	1,13

Daily Statistics for Dedicated Interface - SEB in Norway

Day	Uptime (%)	Downtime (%)	AISP response (milliseconds)	PISP response (milliseconds)	CBP11 response (milliseconds)	Error response rate (%)
06.10.2020	100	0	N/A	N/A	N/A	N/A
05.10.2020	100	0	N/A	N/A	N/A	N/A
04.10.2020	100	0	N/A	N/A	N/A	N/A
03.10.2020	100	0	N/A	N/A	N/A	N/A
02.10.2020	100	0	N/A	N/A	N/A	N/A
01.10.2020	100	0	N/A	N/A	N/A	N/A
30.09.2020	100	0	N/A	N/A	N/A	N/A
29.09.2020	100	0	N/A	N/A	N/A	N/A
28.09.2020	100	0	N/A	N/A	N/A	N/A
27.09.2020	100	0	N/A	N/A	N/A	N/A
26.09.2020	100	0	N/A	N/A	N/A	N/A
25.09.2020	100	0	N/A	N/A	N/A	N/A
24.09.2020	100	0	N/A	N/A	N/A	N/A
23.09.2020	100	0	N/A	N/A	N/A	N/A
22.09.2020	100	0	N/A	N/A	N/A	N/A
21.09.2020	100	0	N/A	N/A	N/A	N/A
20.09.2020	100	0	N/A	N/A	N/A	N/A
19.09.2020	100	0	N/A	N/A	N/A	N/A
18.09.2020	100	0	N/A	N/A	N/A	N/A
17.09.2020	100	0	N/A	N/A	N/A	N/A
16.09.2020	100	0	N/A	N/A	N/A	N/A
15.09.2020	100	0	N/A	N/A	N/A	N/A
14.09.2020	100	0	N/A	N/A	N/A	N/A
13.09.2020	100	0	N/A	N/A	N/A	N/A
12.09.2020	100	0	N/A	N/A	N/A	N/A
11.09.2020	100	0	N/A	N/A	N/A	N/A
10.09.2020	100	0	N/A	N/A	N/A	N/A
09.09.2020	100	0	N/A	N/A	N/A	N/A
08.09.2020	100	0	N/A	N/A	N/A	N/A
07.09.2020	100	0	N/A	N/A	N/A	N/A
06.09.2020	100	0	N/A	N/A	N/A	N/A
05.09.2020	100	0	N/A	N/A	N/A	N/A
04.09.2020	100	0	N/A	N/A	N/A	N/A
03.09.2020	100	0	N/A	N/A	N/A	N/A
02.09.2020	100	0	N/A	N/A	N/A	N/A
01.09.2020	100	0	N/A	N/A	N/A	N/A
31.08.2020	100	0	N/A	N/A	N/A	N/A
30.08.2020	100	0	N/A	N/A	N/A	N/A

Daily Statistics for Dedicated Interface - SEB in Norway

Day	Uptime (%)	Downtime (%)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
29.08.2020	100	0	N/A	N/A	N/A	N/A
28.08.2020	100	0	N/A	N/A	N/A	N/A
27.08.2020	100	0	N/A	N/A	N/A	N/A
26.08.2020	100	0	N/A	N/A	N/A	N/A
25.08.2020	100	0	N/A	N/A	N/A	N/A
24.08.2020	100	0	N/A	N/A	N/A	N/A
23.08.2020	100	0	N/A	N/A	N/A	N/A
22.08.2020	100	0	N/A	N/A	N/A	N/A
21.08.2020	100	0	N/A	N/A	N/A	N/A
20.08.2020	100	0	N/A	N/A	N/A	N/A
19.08.2020	100	0	N/A	N/A	N/A	N/A
18.08.2020	100	0	N/A	N/A	N/A	N/A
17.08.2020	100	0	N/A	N/A	N/A	N/A
16.08.2020	100	0	N/A	N/A	N/A	N/A
15.08.2020	100	0	N/A	N/A	N/A	N/A
14.08.2020	100	0	N/A	N/A	N/A	N/A
13.08.2020	100	0	N/A	N/A	N/A	N/A
12.08.2020	100	0	N/A	N/A	N/A	N/A
11.08.2020	100	0	N/A	N/A	N/A	N/A
10.08.2020	100	0	N/A	N/A	N/A	N/A
09.08.2020	100	0	N/A	N/A	N/A	N/A
08.08.2020	100	0	N/A	N/A	N/A	N/A
07.08.2020	100	0	N/A	N/A	N/A	N/A
06.08.2020	100	0	N/A	N/A	N/A	N/A
05.08.2020	100	0	N/A	N/A	N/A	N/A
04.08.2020	100	0	N/A	N/A	N/A	N/A
03.08.2020	100	0	N/A	N/A	N/A	N/A
02.08.2020	100	0	N/A	N/A	N/A	N/A
01.08.2020	100	0	N/A	N/A	N/A	N/A
31.07.2020	100	0	N/A	N/A	N/A	N/A
30.07.2020	100	0	N/A	N/A	N/A	N/A
29.07.2020	100	0	N/A	N/A	N/A	N/A
28.07.2020	100	0	N/A	N/A	N/A	N/A
27.07.2020	100	0	N/A	N/A	N/A	N/A
26.07.2020	100	0	N/A	N/A	N/A	N/A
25.07.2020	100	0	N/A	N/A	N/A	N/A
24.07.2020	100	0	N/A	N/A	N/A	N/A
23.07.2020	100	0	N/A	N/A	N/A	N/A

Daily Statistics for Dedicated Interface - SEB in Norway

Day	Uptime (%)	Downtime (%)	AISP response (milliseconds)	PISP response (milliseconds)	CBP11 response (milliseconds)	Error response rate (%)
22.07.2020	100	0	N/A	N/A	N/A	N/A
21.07.2020	100	0	N/A	N/A	N/A	N/A
20.07.2020	100	0	N/A	N/A	N/A	N/A
19.07.2020	100	0	N/A	N/A	N/A	N/A
18.07.2020	100	0	N/A	N/A	N/A	N/A
17.07.2020	100	0	N/A	N/A	N/A	N/A
16.07.2020	100	0	N/A	N/A	N/A	N/A
15.07.2020	100	0	N/A	N/A	N/A	N/A
14.07.2020	100	0	N/A	N/A	N/A	N/A
13.07.2020	100	0	N/A	N/A	N/A	N/A
12.07.2020	100	0	N/A	N/A	N/A	N/A
11.07.2020	100	0	N/A	N/A	N/A	N/A
10.07.2020	100	0	N/A	N/A	N/A	N/A
09.07.2020	100	0	N/A	N/A	N/A	N/A
08.07.2020	100	0	N/A	N/A	N/A	N/A
07.07.2020	100	0	N/A	N/A	N/A	N/A